



ConnectCAD Media Den


This sample file of a high end Residential install showcases the core functionality of ConnectCAD for AV Systems Integrators. It provides a baseline workflow while demonstrating customization options. The ConnectCAD add-on for Spotlight includes tools tailored specifically for the AV industry, helping installers streamline workflows.


<div><div>ConnectCAD</div><div>www.vectorworks.net/connectcad</div></div> <div></div>		DWG NUMBER		PROJECT <i>ConnectCAD Media Den Project</i>	
SCALE <i>As Noted</i>		SIZE	DRAWN BY <i>PM</i>	TITLE <i>Title Page</i>	
THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED OR DISCLOSED WITHOUT WRITTEN PERMISSION.					


AV Closet




Theater Room









B Wall Drop Point
Elevation
*For placement
dimensions*




B Wall Drop Point
Elevation
*For placement
dimensions*



B Wall Drop Point
Elevation
*For placement
dimensions*



B Wall Drop Point
Elevation
*For placement
dimensions*



ConnectCAD
www.vectorworks.net/connectcad



THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED
OR DISCLOSED WITHOUT WRITTEN PERMISSION.

DWG NUMBER

SCALE
As Noted

SIZE


DRAWN BY
PM

PROJECT

ConnectCAD Media Den Project

TITLE

Theater-Drop Point Layout



1 Karaoke Room OH Drop Points
Scale: 1/4" = 1'-0"

Drop Points Legend




Single Plate-AUD (Wall)
Type:Audio Video




Single Plate-HDMI+RJ45 (Wall)
Type:Audio Video

Notes for Install:
All Plates to match Green Satin paint provided by contractor.


L Wall Drop Point Elevation
For placement dimensions




R Wall Drop Point Elevation
For placement dimensions



F Wall Drop Point Elevation
For placement dimensions



B Wall Drop Point Elevation
For placement dimensions



ConnectCAD
www.vectorworks.net/connectcad



THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED OR DISCLOSED WITHOUT WRITTEN PERMISSION.

DWG NUMBER

SCALE
As Noted

SIZE


DRAWN BY
PM

PROJECT


ConnectCAD Media Den Project

TITLE

Karaoke-Drop Point Layout




1 Theater Room L Wall-Equipment
Scale: 3/8" = 1'-0"



2 Theater Room R Wall-Equipment
Scale: 3/8" = 1'-0"

Equipment Legend	
	Russound XTS7 Wall Touchscreen Controller
	SVS Prime Satellite
	TP-Link Deco BE23




Equipment Legend	
	SVS Prime Satellite




ConnectCAD www.vectorworks.net/connectcad		DWG NUMBER		PROJECT <i>ConnectCAD Media Den Project</i>	
		SCALE As Noted	SIZE	DRAWN BY <i>PM</i>	TITLE <i>Theater L/R Wall-Equip Detail</i>

THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED OR DISCLOSED WITHOUT WRITTEN PERMISSION.









Equipment Legend	
	LG OLED evo C4 4K Smart TV
	JBL EON ONE Compact Wall Speaker
	JBL PartyBox 110 Bass

1 Karaoke Room L Wall-Equipment
Scale: 3/8" = 1'-0"



Equipment Legend	
	Elation Design LED Par Zoom

2 Karaoke Room R Wall-Equipment
Scale: 3/8" = 1'-0"



ConnectCAD
www.vectorworks.net/connectcad



THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED
OR DISCLOSED WITHOUT WRITTEN PERMISSION.

DWG NUMBER

SCALE
As Noted

SIZE


DRAWN BY
PM

PROJECT

ConnectCAD Media Den Project

TITLE


Karaoke L/R Wall-Equip Detail



Equipment Legend	
Acolyte 5 Zone DMX Wall Controller	Mackie Mix Series 802VLZ4 Audio Mixer
Cisco S2805S-8TF-P	Shure SLX-D Wireless Mic Receiver Dual
EvoBox Premium Karaoke System	Shure SLX-D Wireless Microphones
JBL EON ONE Compact Wall Speaker	TP-Link Deco BE23

1


Karaoke Room F Wall-Equipment
Scale: 3/8" = 1'-0"




Equipment Legend	
LG OLED evo C4 4K Smart TV	Elation Design LED Par Zoom


2

Karaoke Room B Wall-Equipment
Scale: 3/8" = 1'-0"







1 Rack T1/F
Scale: 1:7



2 Rack T1/R
Scale: 1:7



3 Rack K1/F
Scale: 1:7



4 Rack K1/R
Scale: 1:7


Mounting Depth: 2"
Mounting Depth: 2"

T1	Name	Make	Model	Power	Weight	Mounting	Type
21.1	Net Switch 1	Cisco	S2805S-8TF-P	2	2.404	Front	Equipment Item
21.2	Brush Plate 1U			0	0	Front	Equipment Item
20.1	Rack Tray 6	Middle Atlantic	CBS	0	0	Front	Rack Frame
20.2	Power Strip 1U (TBS) 1			0	0	Rear	Equipment Item
19.1	Blank 1RU 1			0	0	Front	Equipment Item
19.2	Apple TV	Apple	TV 4K	6	0.209	Front	Equipment Item
19.3	Power Strip 1U (TBS) 2			0	0	Rear	Equipment Item
18	Rack Tray 5	Middle Atlantic	CBS	0	0	Front	Rack Frame
17	Blank 1RU 2			0	0	Front	Equipment Item
16	Xbox Console	Microsoft	Xbox Series X 1TB	220	4.4	Front	Equipment Item
15							
14							
13							
12	Rack Tray 4	Middle Atlantic	U3	0	0	Front	Rack Frame
11							
10	EXT: SSD Drive 1	Western Digital	My Passport- 4TB	2.5	0.209	Front	Equipment Item
9	Blank 1RU 3			0	0	Front	Equipment Item
8.1	Rack Tray 3	Middle Atlantic	CBS	0	0	Front	Rack Frame
8.2	Media Player	Panasonic	DP-UB820 Blu-ray/DVD Player	32	2.404	Front	Equipment Item
8.3	EXT: SSD Drive 2	Western Digital	My Passport- 4TB	2.5	0.209	Front	Equipment Item
7.1	Rack Tray 2	Middle Atlantic	U2	0	0	Front	Rack Frame
7.2	AV Receiver	Denon	AVR-S670H AV Receiver	675	7.802	Front	Equipment Item
6							
5	Rack Tray 1	Middle Atlantic	U3	0	0	Front	Rack Frame
4							
3							
2	RACK UPS 2U 1			0	0	Front	Equipment Item
1							


Mounting Depth: 2"

K1	Name	Make	Model	Power	Weight	Mounting	Type
5.1	Rack Tray 8	Middle Atlantic	CBS	0	0	Front	Rack Frame
5.2	Net Switch 2	Cisco	S2805S-8TF-P	2	2.404	Front	Equipment Item
5.3	Power Strip 1U (TBS) 3			0	0	Rear	Equipment Item
4.1	Rack Tray 7	Middle Atlantic	CBS	0	0	Front	Rack Frame
4.2	Karaoke CPU	EvoBox	Premium Karaoke System	30	1.27	Front	Equipment Item
3	Dual Mic Receiver	Shure	SLX-D Wireless Mic Receiver Dual	9	1.451	Front	Equipment Item
2	RACK UPS 2U 2			0	0	Front	Equipment Item
1							







1 Theater Riser Right ISO
 Scale: 1/4" = 1'-0"
 All Conduit to be 2" ENT PVC



2 Theater Riser Left ISO
 Scale: 1/4" = 1'-0"
 All Conduit to be 2" ENT PVC


ConnectCAD www.vectorworks.net/connectcad				DWG NUMBER	PROJECT <i>ConnectCAD Media Den Project</i>
SCALE As Noted	SIZE	DRAWN BY <i>PM</i>	TITLE <i>Theater Room Riser Diagram</i>		

THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED OR DISCLOSED WITHOUT WRITTEN PERMISSION.




1 Karaoke Riser Right ISO
Scale: 3/8" = 1'-0"

All Conduit to be 2" ENT PVC




2 Karaoke Riser Left ISO
Scale: 3/8" = 1'-0"

All Conduit to be 2" ENT PVC



1 Theater Room Cabling Sheet
Scale: 3/8" = 1'-0"



1

Karaoke Room Cabling Sheet

Scale: 3/4" = 1'-0"

ConnectCAD
www.vectorworks.net/connectcad



THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED
OR DISCLOSED WITHOUT WRITTEN PERMISSION.

DWG NUMBER

SCALE
As Noted

SIZE

DRAWN BY
PM

PROJECT

ConnectCAD Media Den Project

TITLE

Karoke Room Cable Sheets

Qty	Name	Make	Model	Height	Width	Depth	Power	Weight	Room	Rack / Drop Point	Rack U	Slot
1	Apple TV	Apple	TV 4K	1 3/4"	3 5/8"	3 5/8"	6	0.21	AV Closet	T1	19	
1	AV Receiver	Denon	AVR-S670H AV Receiver	5 7/8"	1'5 1/8"	1'1 3/8"	675	7.80	AV Closet	T1	7	
1	EXT: SSD Drive 1	Western Digital	My Passport- 4TB	5 1/4"	8 7/8"	4 1/4"	2.5	0.21	AV Closet	T1	10	
1	EXT: SSD Drive 2	Western Digital	My Passport- 4TB	1 3/4"	1'5 5/8"	4 1/4"	2.5	0.21	AV Closet	T1	8	1
1	Media Player	Panasonic	DP-UB820 Blu-ray/DVD Player	3 1/2"	1'6 7/8"	8"	32	2.40	AV Closet	T1	8	
1	Net Switch 1	Cisco	S2805S-8TF-P	1 3/4"	11"	7 1/8"	2	2.40	AV Closet	T1	21	
1	Xbox Console	Microsoft	Xbox Series X 1TB	11 7/8"	6"	6"	220	4.40	AV Closet	T1	16	


AV Closet Device Report

Qty	Name	Make	Model	Height	Width	Depth	Power	Weight	Room	Rack / Drop Point
1	AV Wall Contr.	Russound	XTS7 Wall Touchscreen Controller	4 1/2"	6 7/8"	5/8"	10	0.54	Theater Room	
1	Projector 1	Epson	Pro Cinema LS12000 4K Projector	7 5/8"	1'8 1/2"	1'5 5/8"	350	12.70	Theater Room	<DP- VID/DATA 1>
1	Subwoofer	SVS	SB-1000 Pro Subwoofer	1'1 1/2"	1'1"	1'2 3/4"	325	11.79	Theater Room	<SP(W) w/ Br 6>
1	Surr. Speaker C	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	200	2.95	Theater Room	<SP(W) w/ Br 5>
1	Surr. Speaker FL	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	200	2.95	Theater Room	<SP(W) w/ Br 2>
1	Surr. Speaker FR	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	200	2.95	Theater Room	<SP(W) w/ Br 3>
1	Surr. Speaker SL	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	200	2.95	Theater Room	<SP(W) w/ Br 1>
1	Surr. Speaker SR	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	200	2.95	Theater Room	<SP(W) w/ Br 4>
1	Wifi Hub 1	JBL	EON ONE Compact Wall Speaker	1'3 3/4"	10"	11 1/2"	150	7.98	Theater Room	<SP(W) w/ Br 1>
1	Xbox Contr 1	Microsoft	Xbox Series X Controller	4"	6"	2 3/8"	0	0.27	Theater Room	
1	Xbox Contr 2	Microsoft	Xbox Series X Controller	4"	6"	2 3/8"	0	0.27	Theater Room	

Theater Room Device Report

Cable					Source								Destination							
Number	Cable	Signal	Circuits	Est. Length(ft)	Room	Rack	U	Slot	Device Name	Socket Name	Adapter	Connector	Room	Rack	U	Slot	Device Name	Socket Name	Connector	Route
N9005		LAN	1	---	AV Closet	T1	21		Net Switch 1	LAN POE 8		RJ45					<EXT>	ISP	RJ45	N/A
N9006		LAN	1	13	AV Closet	T1	21		Net Switch 1	LAN POE 5		RJ45	Theater Room				AV Wall Contr.	LAN	RJ45	N/A
N9007		LAN	1	18	AV Closet	T1	21		Net Switch 1	LAN POE 6		RJ45	Theater Room	<SP(W) w/ Br 1>			Wifi Hub 1	LAN 1	RJ45	N/A
M9001		HDMI	1	7.3	AV Closet	T1	16		Xbox Console	HDMI		HDMI	AV Closet	T1	7		AV Receiver	HDMI2.1 A	HDMI	N/A
M9002		HDMI	1	7.6	AV Closet	T1	19		Apple TV	HDMI		HDMI	AV Closet	T1	7		AV Receiver	HDMI2.1 B	HDMI	N/A
U9001		USB	1	6.5	AV Closet	T1	16		Xbox Console	USB-A1		USB-A	AV Closet	T1	10		EXT: SSD Drive 1	USB	USB-A	N/A
U9002		USB	1	5.6	AV Closet	T1	8	1	EXT: SSD Drive 2	USB		USB-A	AV Closet	T1	8		Media Player	USB	USB-A	N/A
N9001		LAN	1	6.8	AV Closet	T1	16		Xbox Console	LAN		RJ45	AV Closet	T1	21		Net Switch 1	LAN POE 1	RJ45	N/A
N9002		LAN	1	5.7	AV Closet	T1	19		Apple TV	LAN		RJ45	AV Closet	T1	21		Net Switch 1	LAN POE 2	RJ45	N/A
N9003		LAN	1	7.4	AV Closet	T1	8		Media Player	LAN		RJ45	AV Closet	T1	21		Net Switch 1	LAN POE 3	RJ45	N/A
N9004		LAN	1	7.9	AV Closet	T1	7		AV Receiver	LAN		RJ45	AV Closet	T1	21		Net Switch 1	LAN POE 4	RJ45	N/A
M9003		HDMI	1	6	AV Closet	T1	8		Media Player	HDMI		HDMI	AV Closet	T1	7		AV Receiver	HDMI2.1 C	HDMI	N/A
A9001		LINE	1	46.2	AV Closet	T1	7		AV Receiver	FRONT R		RCA	Theater Room	<SP(W) w/ Br 3>			Surr. Speaker FR	SPKR IN	TERM	N/A
A9002		LINE	1	39.1	AV Closet	T1	7		AV Receiver	FRONT L		RCA	Theater Room	<SP(W) w/ Br 2>			Surr. Speaker FL	SPKR IN	TERM	N/A
A9003		LINE	1	33.4	AV Closet	T1	7		AV Receiver	CENTER		RCA	Theater Room	<SP(W) w/ Br 5>			Surr. Speaker C	SPKR IN	TERM	N/A
A9004		LINE	1	62.9	AV Closet	T1	7		AV Receiver	SURR. R		RCA	Theater Room	<SP(W) w/ Br 4>			Surr. Speaker SR	SPKR IN	TERM	N/A
A9005		LINE	1	15.9	AV Closet	T1	7		AV Receiver	SURR. L		RCA	Theater Room	<SP(W) w/ Br 1>			Surr. Speaker SL	SPKR IN	TERM	N/A
A9006		LINE	1	38.7	AV Closet	T1	7		AV Receiver	SUB OUT		RCA	Theater Room	<SP(W) w/ Br 6>			Subwoofer	SPKR IN	TERM	N/A
M9006		HDMI	1	38.9	AV Closet	T1	7		AV Receiver	HDMI OUT		HDMI	Theater Room	<DP- VID/DATA 1>			Projector 1	HDMI2.1 A	HDMI	N/A
N9016		LAN	1	40.9	AV Closet	T1	21		Net Switch 1	LAN POE 7		RJ45	Theater Room	<DP- VID/DATA 1>			Projector 1	LAN	RJ45	N/A

AV Closet/Theater Room Circuit Report

<div>ConnectCAD</div> <div>www.vectorworks.net/connectcad</div> <div>THIS DRAWING IS COPYRIGHT AND MUST NOT BE COPIED OR DISCLOSED WITHOUT WRITTEN PERMISSION.</div>		DWG NUMBER			PROJECT <i>ConnectCAD Media Den Project</i>	
		SCALE As Noted	SIZE	DRAWN BY <i>PM</i>	TITLE <i>Theater Room Circuit/Device Reports</i>	

Qty	Name	Make	Model	Height	Width	Depth	Power	Weight	Room	Rack / Drop Point	Rack U	Slot
1	Audio Mixer	Mackie	Mix Series 802VLZ4 Audio Mixer	1 3/4"	8 7/8"	10 3/4"	18	2.49	Karaoke Room		---	
1	DMX Contr	Acolyte	5 Zone DMX Wall Controller	3/8"	4 1/8"	5 3/4"	6	0.45	Karaoke Room		---	
1	Dual Mic Receiver	Shure	SLX-D Wireless Mic Receiver Dual	1 3/4"	1'6 7/8"	6"	9	1.45	Karaoke Room	K1	3	
1	Karaoke Bass	JBL	PartyBox 110 Bass	1'10 3/8"	11 5/8"	11 3/4"	160	10.43	Karaoke Room	<DP- AUD 3>	---	
1	Karaoke CPU	EvoBox	Premium Karaoke System	1 3/4"	8 7/8"	7"	30	1.27	Karaoke Room	K1	4	1
1	Karaoke Mic 1	Shure	SLX-D Wireless Microphones	9 3/4"	2 5/8"	2 5/8"	12	0.15	Karaoke Room		---	
1	Karaoke Mic 2	Shure	SLX-D Wireless Microphones	9 3/4"	2 5/8"	2 5/8"	12	0.15	Karaoke Room		---	
1	Karaoke Speaker L	JBL	EON ONE Compact Wall Speaker	1'3 3/4"	10"	11 1/2"	150	7.98	Karaoke Room	<DP- AUD 1>	---	
1	Karaoke Speaker R	JBL	EON ONE Compact Wall Speaker	1'3 3/4"	10"	11 1/2"	150	7.98	Karaoke Room	<DP- AUD 2>	---	
1	Karaoke TV 1	LG	OLED evo C4 4K Smart TV	2'11 3/4"	5'0 1/2"	5 3/8"	145.3	16.60	Karaoke Room	<DP- VID/DATA 3>	---	
1	Karaoke TV 2	LG	OLED evo C4 4K Smart TV	2'11 3/4"	5'0 1/2"	5 3/8"	145.3	16.60	Karaoke Room	<DP- VID/DATA 2>	---	
1	LED Par 1	Elation	Design LED Par Zoom	7 3/4"	8 1/4"	8 1/8"	120	6.99	Karaoke Room	<SP(W) HDMI+RJ48>	---	
1	LED Par 2	Elation	Design LED Par Zoom	7 3/4"	8 1/4"	8 1/8"	120	6.99	Karaoke Room	<DP- VID/DATA 4>	---	
1	Net Switch 2	Cisco	S2805S-8TF-P	1 3/4"	8 7/8"	7 1/8"	2	2.40	Karaoke Room	K1	5	1
1	Wifi Hub 2	TP-Link	Deco BE23	2 1/2"	5 7/8"	5 7/8"	18	0.50	Karaoke Room		---	

Karaoke Room Device Report

Cable					Source								Destination							
Number	Cable	Signal	Circuits	Est. Length(ft)	Room	Rack	U	Slot	Device Name	Socket Name	Adapter	Connector	Room	Rack	U	Slot	Device Name	Socket Name	Connector	Route
A9007		MIC	1	4.8	Karaoke Room	K1	3		Dual Mic Receiver	OUT2		XLR3F	Karaoke Room	K1	4	1	Karaoke CPU	MIC 2	STJ	N/A
A9008		MIC	1	4.8	Karaoke Room	K1	3		Dual Mic Receiver	OUT1		XLR3F	Karaoke Room	K1	4	1	Karaoke CPU	MIC 1	STJ	N/A
N9008		LAN	1	4.8	Karaoke Room	K1	4	1	Karaoke CPU	LAN		RJ45	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 1	RJ45	N/A
N9009		LAN	1	4.9	Karaoke Room	K1	3		Dual Mic Receiver	LAN		RJ45	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 2	RJ45	N/A
N9010		LAN	1	5.4	Karaoke Room				Wifi Hub 2	LAN 1		RJ45	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 3	RJ45	N/A
N9011		DMX	1	15.2	Karaoke Room	<SP(W) HDMI+RJ48>			LED Par 1	DMX OUT		XLR3F	Karaoke Room	<DP- VID/DATA 4>			LED Par 2	DMX IN	XLR3F	N/A
A9009		MIC/LINE	1	4.6	Karaoke Room	K1	4	1	Karaoke CPU	RCA L		RCA	Karaoke Room				Audio Mixer	TAPE IN L	RCA	N/A
A9010		MIC/LINE	1	4.6	Karaoke Room	K1	4	1	Karaoke CPU	RCA R		RCA	Karaoke Room				Audio Mixer	TAPE IN R	RCA	N/A
N9012		LAN	1	4.7	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 8		RJ45	Karaoke Room				DMX Contr	LAN	RJ45	N/A
M9004		HDMI	1	41.7	Karaoke Room	K1	4	1	Karaoke CPU	HDMI-A	HDMI Splitter	HDMI	Karaoke Room	<DP- VID/DATA 3>			Karaoke TV 1	HDMI 1	HDMI	N/A
N9013		LAN	1	41.8	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 6		RJ45	Karaoke Room	<DP- VID/DATA 3>			Karaoke TV 1	LAN	RJ45	N/A
N9014		LAN	1	19.9	Karaoke Room	K1	5	1	Net Switch 2	LAN POE 7		RJ45	Karaoke Room	<DP- VID/DATA 2>			Karaoke TV 2	LAN	RJ45	N/A
M9005		HDMI	1	19.7	Karaoke Room	K1	4	1	Karaoke CPU	HDMI-B	HDMI Splitter	HDMI	Karaoke Room	<DP- VID/DATA 2>			Karaoke TV 2	HDMI 1	HDMI	N/A
N9015		DMX	1	38.8	Karaoke Room				DMX Contr	PWR+DMX		RJ45	Karaoke Room	<SP(W) HDMI+RJ48>			LED Par 1	DMX IN	XLR3F	N/A
A9011		LINE	1	12.4	Karaoke Room				Audio Mixer	MAIN XLR L		XLR3F	Karaoke Room	<DP- AUD 1>			Karaoke Speaker L	XLR IN1	XLR3M	N/A
A9012		LINE	1	18.1	Karaoke Room				Audio Mixer	MAIN XLR R		XLR3F	Karaoke Room	<DP- AUD 2>			Karaoke Speaker R	XLR IN1	XLR3M	N/A
A9013		LINE	1	4.4	Karaoke Room				Audio Mixer	AUX SEND		STJ	Karaoke Room	<DP- AUD 3>			Karaoke Bass	AUX IN	MSTJ	N/A

Karaoke Room Circuit Report

Qty	Name	Display Tag	Item	Make	Model	Height	Width	Depth	Volume	Power	Weight	Room	Rack	RackU	Slot
Equipment															
1	Xbox Console	Xbox Console	Microsoft Xbox Series X 1TB	Microsoft	Xbox Series X 1TB	11 7/8"	6"	6"	2 7/8"	220	4.4	AV Closet	T1	16	
1	Apple TV	Apple TV	Apple TV 4K	Apple	TV 4K	1 3/4"	3 5/8"	3 5/8"	1/8"	6	0.209	AV Closet	T1	19	
1	Media Player	Media Player	Panasonic DP-UB820 Blu-ray/DVD Player	Panasonic	DP-UB820 Blu-ray/DVD Player	3 1/2"	1'6 7/8"	8"	3 3/4"	32	2.404	AV Closet	T1	8	
1	EXT: SSD Drive 1	EXT: SSD Drive 1	Western Digital My Passport- 4TB	Western Digital	My Passport- 4TB	5 1/4"	8 7/8"	4 1/4"	1 3/8"	2.5	0.209	AV Closet	T1	10	
1	EXT: SSD Drive 2	EXT: SSD Drive 2	Western Digital My Passport- 4TB	Western Digital	My Passport- 4TB	1 3/4"	1'5 5/8"	4 1/4"	7/8"	2.5	0.209	AV Closet	T1	8	1
1	AV Receiver	AV Receiver	Denon AVR-S670H AV Receiver	Denon	AVR-S670H AV Receiver	5 7/8"	1'5 1/8"	1'1 3/8"	9 3/8"	675	7.802	AV Closet	T1	7	
1	Net Switch 1	Net Switch 1	Cisco S2805S-8TF-P	Cisco	S2805S-8TF-P	1 3/4"	11"	7 1/8"	1"	2	2.404	AV Closet	T1	21	
1	RACK UPS 2U 2	RACK UPS 2U 2	Rack UPS 2U	Rack UPS	2U	3 1/2"	17"	1'4"	7 3/8"	0	0	Karaoke Room	K1	2	
1	Power Strip 1U (TBS) 3	Power Strip 1U (TBS) 3				1 3/4"	17"	1 3/4"	3/8"	0	0	Karaoke Room	K1	5	
1	RACK UPS 2U 1	RACK UPS 2U 1	Rack UPS 2U	Rack UPS	2U	3 1/2"	17"	1'4"	7 3/8"	0	0	AV Closet	T1	2	
1	Power Strip 1U (TBS) 1	Power Strip 1U (TBS) 1				1 3/4"	17"	1 3/4"	3/8"	0	0	AV Closet	T1	20	
1	Power Strip 1U (TBS) 2	Power Strip 1U (TBS) 2				1 3/4"	17"	1 3/4"	3/8"	0	0	AV Closet	T1	19	
1	Brush Plate 1U	Brush Plate 1U	Brush Plate 1U	Brush Plate	1U	1 3/4"	17"	3/8"	1/8"	0	0	AV Closet	T1	21	
1	Blank 1RU 1	Blank 1RU 1	Blank 1RU	Blank	1RU	1 3/4"	17"	3/8"	1/8"	0	0	AV Closet	T1	19	
1	Blank 1RU 3	Blank 1RU 3	Blank 1RU	Blank	1RU	1 3/4"	17"	3/8"	1/8"	0	0	AV Closet	T1	9	
1	Blank 1RU 2	Blank 1RU 2	Blank 1RU	Blank	1RU	1 3/4"	17"	3/8"	1/8"	0	0	AV Closet	T1	17	
1	Dual Mic Receiver	Dual Mic Receiver	Shure SLX-D Wireless Mic Receiver Dual	Shure	SLX-D Wireless Mic Receiver Dual	1 3/4"	1'6 7/8"	6"	1 3/8"	9	1.451	Karaoke Room	K1	3	
1	Net Switch 2	Net Switch 2	Cisco S2805S-8TF-P	Cisco	S2805S-8TF-P	1 3/4"	8 7/8"	7 1/8"	3/4"	2	2.404	Karaoke Room	K1	5	1
1	Wifi Hub 2	Wifi Hub 2	TP-Link Deco BE23	TP-Link	Deco BE23	2 1/2"	5 7/8"	5 7/8"	5/8"	18	0.499	Karaoke Room		---	
1	Karaoke CPU	Karaoke CPU	EvoBox Premium Karaoke System	EvoBox	Premium Karaoke System	1 3/4"	8 7/8"	7"	3/4"	30	1.27	Karaoke Room	K1	4	1
1	Karaoke Speaker L	Karaoke Speaker L	JBL EON ONE Compact Wall Speaker	JBL	EON ONE Compact Wall Speaker	1'3 3/4"	10"	11 1/2"	1'0 1/2"	150	7.983	Karaoke Room	<DP- AUD 1>	---	
1	Karaoke Speaker R	Karaoke Speaker R	JBL EON ONE Compact Wall Speaker	JBL	EON ONE Compact Wall Speaker	1'3 3/4"	10"	11 1/2"	1'0 1/2"	150	7.983	Karaoke Room	<DP- AUD 2>	---	
1	Karaoke Bass	Karaoke Bass	JBL PartyBox 110 Bass	JBL	PartyBox 110 Bass	1'10 3/8"	11 5/8"	11 3/4"	1'9 1/4"	160	10.433	Karaoke Room	<DP- AUD 3>	---	
1	Karaoke TV 1	Karaoke TV 1	LG OLED evo C4 4K Smart TV	LG	OLED evo C4 4K Smart TV	2'11 3/4"	5'0 1/2"	5 3/8"	6'8 3/4"	145.3	16.601	Karaoke Room	<DP- VID/DATA 3>	---	
1	Karaoke TV 2	Karaoke TV 2	LG OLED evo C4 4K Smart TV	LG	OLED evo C4 4K Smart TV	2'11 3/4"	5'0 1/2"	5 3/8"	6'8 3/4"	145.3	16.601	Karaoke Room	<DP- VID/DATA 2>	---	
1	LED Par 1	LED Par 1	Elation Design LED Par Zoom	Elation	Design LED Par Zoom	7 3/4"	8 1/4"	8 1/8"	3 5/8"	120	6.985	Karaoke Room	<SP(W) HDMI+RJ48>	---	
1	LED Par 2	LED Par 2	Elation Design LED Par Zoom	Elation	Design LED Par Zoom	7 3/4"	8 1/4"	8 1/8"	3 5/8"	120	6.985	Karaoke Room	<DP- VID/DATA 4>	---	
1	Audio Mixer	Audio Mixer	Mackie Mix Series 802VLZ4 Audio Mixer	Mackie	Mix Series 802VLZ4 Audio Mixer	1 3/4"	8 7/8"	10 3/4"	1 1/4"	18	2.495	Karaoke Room		---	
1	DMX Contr	DMX Contr	Acolyte 5 Zone DMX Wall Controller	Acolyte	5 Zone DMX Wall Controller	3/8"	4 1/8"	5 3/4"	1/8"	6	0.454	Karaoke Room		---	
1	Karaoke Mic 1	Karaoke Mic 1	Shure SLX-D Wireless Microphones	Shure	SLX-D Wireless Microphones	9 3/4"	2 5/8"	2 5/8"	1/2"	12	0.145	Karaoke Room		---	
1	Karaoke Mic 2	Karaoke Mic 2	Shure SLX-D Wireless Microphones	Shure	SLX-D Wireless Microphones	9 3/4"	2 5/8"	2 5/8"	1/2"	12	0.145	Karaoke Room		---	
1	AV Wall Contr.	AV Wall Contr.	Russound XTS7 Wall Touchscreen Controller	Russound	XTS7 Wall Touchscreen Controller	4 1/2"	6 7/8"	5/8"	1/8"	10	0.544	Theater Room		---	
1	Wifi Hub 1	Wifi Hub 1	TP-Link Deco BE23	TP-Link	Deco BE23	2 1/2"	5 7/8"	5 7/8"	5/8"	18	0.499	Theater Room	<SP(W) w/ Br 1>	---	
1	Xbox Contr 1	Xbox Contr 1	Microsoft Xbox Series X Controller	Microsoft	Xbox Series X Controller	4"	6"	2 3/8"	3/8"	0	0.272	Theater Room		---	
1	Xbox Contr 2	Xbox Contr 2	Microsoft Xbox Series X Controller	Microsoft	Xbox Series X Controller	4"	6"	2 3/8"	3/8"	0	0.272	Theater Room		---	
1	Subwoofer	Subwoofer	SVS SB-1000 Pro Subwoofer	SVS	SB-1000 Pro Subwoofer	1'1 1/2"	1'1"	1'2 3/4"	1'6"	325	11.793	Theater Room	<SP(W) w/ Br 6>	---	
1	Projector 1	Projector 1	Epson Pro Cinema LS12000 4K Projector	Epson	Pro Cinema LS12000 4K Projector	7 5/8"	1'8 1/2"	1'5 5/8"	1'7"	350	12.701	Theater Room	<DP- VID/DATA 1>	---	
1	Surr. Speaker FR	Surr. Speaker FR	SVS Prime Satellite	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	1 7/8"	200	2.948	Theater Room	<SP(W) w/ Br 3>	---	
1	Surr. Speaker FL	Surr. Speaker FL	SVS Prime Satellite	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	1 7/8"	200	2.948	Theater Room	<SP(W) w/ Br 2>	---	
1	Surr. Speaker C	Surr. Speaker C	SVS Prime Satellite	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	1 7/8"	200	2.948	Theater Room	<SP(W) w/ Br 5>	---	
1	Surr. Speaker SR	Surr. Speaker SR	SVS Prime Satellite	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	1 7/8"	200	2.948	Theater Room	<SP(W) w/ Br 4>	---	
1	Surr. Speaker SL	Surr. Speaker SL	SVS Prime Satellite	SVS	Prime Satellite	8 3/4"	5"	6 3/8"	1 7/8"	200	2.948	Theater Room	<SP(W) w/ Br 1>	---	
Adapters															
1	HDMI Splitter											Karaoke Room	K1	4	1
Rack Frames															
1	Rack Tray 1		Middle Atlantic U3	Middle Atlantic	U3	5 1/4"	17"	1'5"	11 3/4"		0	AV Closet	T1	5	
1	Rack Tray 2		Middle Atlantic U2	Middle Atlantic	U2	3 1/2"	17"	1'2"	6 1/2"		0	AV Closet	T1	7	
1	Rack Tray 6		Middle Atlantic CBS	Middle Atlantic	CBS	1 3/4"	17"	1'2"	3 1/4"		0	AV Closet	T1	20	
1	Rack Tray 4		Middle Atlantic U3	Middle Atlantic	U3	5 1/4"	17"	1'5"	11 3/4"		0	AV Closet	T1	12	
1	Rack Tray 3		Middle Atlantic CBS	Middle Atlantic	CBS	1 3/4"	17"	1'2"	3 1/4"		0	AV Closet	T1	8	
1	Rack Tray 5		Middle Atlantic CBS	Middle Atlantic	CBS	1 3/4"	17"	1'2"	3 1/4"		0	AV Closet	T1	18	
1	Rack Tray 7		Middle Atlantic CBS	Middle Atlantic	CBS	1 3/4"	17"	1'2"	3 1/4"		0	Karaoke Room	K1	4	
1	Rack Tray 8		Middle Atlantic CBS	Middle Atlantic	CBS	1 3/4"	17"	1'2"	3 1/4"		0	Karaoke Room	K1	5	
Rack Bays															
1	K1	K1	Middle Atlantic BRK6	Middle Atlantic	BRK6	10 7/8"	1'8 3/8"	1'6"	2'3 3/4"		21	Karaoke Room			
1	T1	T1	Middle Atlantic DWR-18-26	Middle Atlantic	DWR-18-26	3'0 7/8"	1'11"	2'0"	11'9 3/8"		90	AV Closet			
Totals									#REF!	#REF!	#REF!				

CCD Parts Report